you can

Canon

Digital Photo All-in-One

SmartBase MP700 Photo

SmartBase MP730 Photo

Photo quality, professional performance and speed — all in one

Photo quality, professional performance and speed — all in one

Canon introduces two Digital Photo All-in-One machines that deliver top-of-the-line performance and exceptional speed.

It's happening more and more. No two jobs are alike. You need a wide variety of equipment. You want the very best quality and it has to be fast. No one has time to wait around all day.

But, not everyone has unlimited space for all the machines you need. Now thanks to Canon's new top-of-the-line SmartBase MP700 Photo and SmartBase MP730 Photo, you no longer have to choose between space, quality and productivity .

The SmartBase MP700 Photo and SmartBase MP730 Photo offer you the best available quality in easy-to-use machines guaranteeing high speed and high productivity.

BIG IN QUALITY

The SmartBase MP700 Photo and SmartBase MP730 Photo deliver top Canon photo print quality with 4800 x 1200 dpi and 2 picolitre consistent droplet size. Our newly developed 'Micro-Nozzles' coupled with advanced MicroFine Droplet Technology™ reduce graininess — on plain or photo paper — to always ensure you of the clearest, crispest photo and text prints available.



Advanced MicroFine Droplet Technology™

Conventional/ Competitors



Traditional ink jet printing system delivers droplets of irregular placement and shape. Canon advanced MicroFine Droplet Technology™ improves the process of droplet ejection, delivering consistent drops with exact form and placement.

**A4 and 4" x 6"
borderless photo prints**

BIG IN SPEED

The SmartBase MP700 Photo and SmartBase MP730 Photo print and copy a phenomenal 22 pages per minute in monochrome and 14 pages per minute in colour.

EASY TO INSTALL, EASY TO OPERATE

Now, with a single installation — one electrical cord, one computer cable and one piece of software — you get top-quality machines taking up the space of just one. And, the specially-designed operation panel puts every command at your fingertips.

BORDERLESS PRINTING AND COPYING

The SmartBase MP700 Photo and SmartBase MP730 Photo give you totally borderless print output, right up to the edge of the media, delivering A4, 4" x 6" and 5"x 7" photo prints that look and feel like traditional photos.

PRECISION COPYING

These machines make 1200 x 1200 dpi colour and 600 x 600 monochrome copies at high speed. You can reduce or enlarge your original from 25% to 400%, make borderless copies, fit 2 pages on 1 (in which two A4 pages are reduced to A5 size, rotated and put side-by-side on an A4), fit-to-page and copy mirror image.

DIRECT PHOTO CARD PRINT — NO MATTER WHAT YOU USE

You can plug your CompactFlash™, SmartMedia™, Memory Stick, Secure Digital or MultiMedia Card straight into the SmartBase MP700 Photo or SmartBase MP730 Photo media slots and print your digital photos without ever touching a computer. Or, load the photos into your computer through the media slot and adjust them using Canon's bundled software, giving you Exif Print support and Photo Noise Reduction.



**SmartBase MP700/
MP730 Photo
printing at 4800 dpi
using 2 pl ink droplets**

**Previous model
printing at 2400 dpi
using 5 pl ink droplets**

**Accepts five types
of digital camera
memory cards**

One scan run, without Multi-Photo mode



One Scan run on the SmartBase MP700/730 Photo with Multi-Photo mode

TOP-CLASS SCANNING

These machines offer you a 1200 x 2400 dpi scanner that makes the most of Canon lens technology, so you get clear, clean scans every time. All Canon scanners use fast Multi-Photo Scan so, even if you place multiple photos on the surface, each photo you scan is saved as a separate file. You can save and e-mail your photo's in separate files. And you can scan thick books or magazines thanks to the handy Z-lid.

QUALITY FAXING*

On top of all the other features, the SmartBase MP730 Photo also includes a fax machine. But, not just any fax. Canon offers you a high-speed Super G3, 33.6 kpbs fax with colour capability. It sends a monochrome page in three seconds** and a full-colour page in about 60 seconds. It has enough memory to store 250 pages** of incoming faxes, so you never lose a fax, even if the machine has run out of ink or paper. It has PC-to-Fax capability, enabling you to send faxes directly from your computer without having to print the document first. All of this is guaranteed to save you time and money and increase your productivity even further.

What's more, the SmartBase MP730 Photo features an efficient Automatic Document Feeder with 30-sheet capacity for even faster copying, scanning and faxing saving you time.

SINGLE INK TECHNOLOGY — NO WASTE

The SmartBase MP700 Photo and SmartBase MP730 are equipped with Canon's Single Ink technology employing individual tanks to reduce ink waste and save you money. You only replace the ink tank of the colour which has run out, and you never throw away a half-full ink tank.

CANON QUALITY ALL AROUND

With the SmartBase MP700 Photo or SmartBase MP730 Photo you are guaranteeing yourself of the best of all possible worlds — precision photo printing, quality copying, sharp scanning and fast faxing*. All using a minimum of space. All designed to maximise your productivity.

* *SmartBase MP730 Photo only.*
** *Based on ITU-T Standard Chart No. 1*

Cyan Ink Tank BCI-3eC

Magenta Ink Tank BCI-3eM

Yellow Ink Tank BCI-3eY

Black Ink Tank BCI-3eBk

Canon's ingenious Z-Lid lets you scan books as easily as single sheets of paper.

SmartBase MP700 Photo with silver coated lid

SmartBase MP730 Photo including Super G3 fax modem and ADF

SmartBase MP700 Photo/730 Photo features

- Easy-to-use Digital Photo All-in-One including a high quality copier, scanner and fax*
- High-speed printing and copying — 22 ppm monochrome and 14 ppm colour
- High-quality printing — 4800 x 1200 dpi
- Consistent 2 picolitre droplet size
- Direct Photo printing — media slots for CompactFlash™, Smart Media™, Memory Stick®, Secure Digital® and MultiMedia Card[2]
- Single Ink tanks, so you never discard half-full cartridges
- Borderless printing and copying in A4, 4" x 6" and 5" x 7"
- Hi-resolution 1200 x 2400 dpi scanning
- Super G3 33.6 kpbs fax*
- 30-sheet Automatic Document Feeder*
- 150-sheet Automatic Sheet Feeder

* *Super G3 fax and Automatic Document Feeder available only on the SmartBase MP730 Photo.*

Exif Print – OFF

Exif Print – ON

Enables images to be printed out faithfully and as the photographer intended.

Canon SmartBase MP700 Photo/MP730 Photo specifications

TYPE	
MACHINE TYPE	Flatbed BJ multifunction SmartBase MP700 Photo: Print, Card Direct Print, Scan, Copy SmartBase MP730 Photo: Print, Card Direct Print, Fax, Scan, Copy
PAPER SCANNING TYPE	SmartBase MP700 Photo: Flatbed scanner SmartBase MP730 Photo: Flatbed scanner with Automatic Document Feeder (ADF)

PRINTER FUNCTIONS	
PRINTING METHOD	Bubble Jet ink-on-demand with advanced MicroFine Droplet Technology™
MONO PRINT SPEED	Up to 22 ppm (Max), 13 ppm (Std)
COLOUR PRINT SPEED	Text & Graphics: up to 14 ppm (Max), 9 ppm (Std); A4 Full Page: up to 2.5 ppm (Std)[1]
PHOTO PRINT SPEED	A4: up to 0.6 ppm (Std on PR-101); 4" x 6" [10 x 15 cm]: 32 seconds (Std on PR-101)[1]
PRINT RESOLUTION	4800 x 1200 dpi
CARTRIDGES	Single ink tank system, Semi permanent print head, BCI-3eBk / BCI-3eY / BCI-3eM / BCI-3eC ink tank
YIELD	Black Ink Tank Life: 330 pages at 5% coverage[4] 1500 pages (printing ISO/JIS-SCID N5 image[5] Colour Ink Tank Life: 460 pages at 5% coverage per ink tank[5]) Cyan: 570 pages, Magenta: 440 pages, Yellow: 380 pages (printing ISO/JIS-SCID N5 image[5])
PAPER CAPACITY	150 sheets auto sheet feeder
PAPER SIZE	A4, B5, A5, Letter, Legal, Envelopes (DL size or Commercial 10), 4" x 6", 5" x 7" & custom size
MEDIA	Plain Paper, Envelopes, Bubble Jet Paper (LC-301), High Resolution Paper (HR-101), Glossy Photo Paper (GP-301), Glossy Photo Cards (FM-101), Photo Paper Pro (PR-101, PC-101S), Photo Paper Plus Glossy (PP-101), Matte Photo Paper (MP-101), Transparency (CF-102), High Gloss Photo Film (HG-201), Banner Paper, T-shirt Transfer (TR-201)
MEDIA WEIGHT	Sheet feeder: 64 to 105 g/m² and supported Canon special media up to 270 g/m²
PRINTING WIDTH	203.2 mm
TWO SIDED PRINT	Available via printer driver
BORDERLESS PRINTING	Photo Paper Pro (A4 & 4" x 6"), Photo Paper Plus Glossy (A4 & 4" x 6"), Glossy Photo Paper (A4), Matte Photo Paper (A4)
COLOUR MANAGEMENT	Exif 2.2 (via Easy-PhotoPrint)
MEMORY CARD INTERFACE	2x card slot for 5 media types
COMPATIBLE STORAGE MEDIA	CompactFlash™ (Type I & II), SmartMedia™, MultiMedia card, Secure Digital, Memory Stick[2]
OTHERS	Photo Direct Print, Memory Card read/write, Quiet Mode, Photo Optimizer PRO, Image Optimizer, Photo Noise Reduction, Vivid Photo, Illustration Effects

FAX FUNCTION (FAX SPECIFICATIONS APPLICABLE FOR SMARTBASE MP730 PHOTO ONLY)	
STANDALONE FAX	Only for SmartBase MP730 Photo
PC FAX	Mono
COLOUR FAX (ITU-T.30E COMPLIANT)	As standalone fax
TRANSMISSION SPEED	Mono: Approx. 3 seconds per page (based on ITU-T No. 1 Chart) Colour: Approx. 1 minute per page (based on Canon Colour Test sheet)
MODEM SPEED	33.6K bps
COMPRESSION METHOD	Mono: MH, MR, MMR, JBIG Colour: JPEG
IMAGE PROCESSING SYSTEM	UHQ (Ultra High Quality)
HALFTONE	64 shades of greyscale
AUTOMATIC DOCUMENT FEEDER	30 sheets
FAX MEMORY	250 pages[3]
ONE TOUCH DIALS	8 locations
CODED DIALS	100 locations
REPORTS	Activity report, Transmission report, Error report, Reception report, Multi TX/RX reports, Memory/Speed dial list reports
OTHERS	Dual Access, Redial (Automatic and manual), Fax/Tel auto switch, Answering machine hook up, Error correction mode (ECM)

SCANNER FUNCTIONS	
SCANNER TYPE	Flatbed colour scanner with Contact Image Sensor
AUTOMATIC DOCUMENT FEEDER	30 sheets
SCANNER RESOLUTION	Digital: Up to 9600 dpi Optical: 1200 x 2400 dpi
COLOUR SCANNING DEPTH	48/24 bit
HALFTONE	256 greyscale
COMPATIBILITY	TWAIN, WIA (Windows XP only)
OTHERS	Multi Photo Scan

COPIER FUNCTIONS	
COPY RESOLUTION	600 x 600 dpi (black), 1200 x 1200 dpi (colour)
COPY SPEED	Mono: 22 pages per minute Colour: 14 pages per minute
MULTIPLE COPY	Up to 99 copies
REDUCTION/ENLARGEMENT	25-400%
FIRST COPY OUTPUT TIME (FCOT)	Approx. 6.5 seconds
OTHERS	2-on-1 copy, Borderless copy, Mirror image copy, Image repeat copy, Entire document copy, OCR Bundle, Colour copy and Photo copy function

PC INTERFACE & SOFTWARE	
INTERFACE TYPE	Universal Serial Bus (USB)[6]
SOFTWARE	MP Software Supported OS: Windows 98/ME/2000/XP PC FAX (From PC to FAX): Yes Printer drivers: Yes Scan drivers: Yes (ScanGear vXX, WIA vXX) Scan to E-mail: Yes
OTHERS	MP Toolbox, PC FAX (from PC to FAX), Printer drivers, Scan drivers, Scan to E-mail
BUNDLED SOFTWARE	Easy PhotoPrint, Easy WebPrint, Omni Page SE (OCR Software) Presto! PageManager

GENERAL FEATURES	
DIMENSIONS WITHOUT TRAYS (W X D X H)	SmartBase MP700 Photo: 439 x 496 x 253 mm SmartBase MP730 Photo: 439 x 496 x 326 mm
DIMENSIONS WITH TRAYS (W X D X H)	439 x 578 x 340 mm
INSTALLATION SPACE INCLUDING TRAYS (W X D)	439 x 634 mm
WEIGHT	SmartBase MP700 Photo: 10.9 Kg SmartBase MP730 Photo: 12.8 Kg
POWER SOURCE/CONSUMPTION	SmartBase MP700 Photo: AC 200-240V 50-60Hz / approx. 8.5W (standby), Approx. 36.7W (Max) SmartBase MP730 Photo: AC 200-240V 50-60Hz/ approx. 10.6W (standby), Approx. 47.1W (Max)
ACOUSTIC NOISE LEVELS	Standby mode: under 35dB, Copy mode: under 5dB

Mono print speed measured using this pattern

Colour print speed measured using this pattern

Ink coverage measured using this pattern

1. May vary with computer system specifications and content of document printed.
2. Not compatible with MicroDrive
3. Based on ITU-T Standard Chart No. 1.
4. All figures are approximate and quoted for A4 media. For reference only. Black calculation based on printing 1500 characters, normal text in Standard Mode on plain paper with Windows XP.
5. All figures are approximate and quoted for A4 media. Based on printing the ISO/JIS-SCID N5 pattern in Standard Mode on plain paper with Windows XP.
6. USB operation can only be guaranteed on a PC with pre-installed Windows 98, Windows Me, Windows XP, Windows 2000 (this includes Windows Me, Windows XP and Windows 2000 upgraded from pre-installed Windows 98). This product supports the majority of USB equipped PC's, however, due to difference in USB implementation (on some PC's) full compatibility cannot be guaranteed.

All specifications subject to change without notice.
Microsoft, Windows, and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries.
All other brands and product names are trademarks of their respective companies.

you can

Canon

Canon Europa NV
Bovenkerkerweg 59-61
1185 XB Amstelveen
The Netherlands

Canon Inc.
30-2 Shimomaruko
3-Chome, Ohta-ku
Tokyo 146-8501
Japan

www.canon-europe.com

WWF CANON EUROPA N.V. Conservation Partner

English Edition 0035W709
© Canon Europa N.V., 2003 (0303)

Designed for Microsoft® Windows® XP